

NETWORK CAMERA

EasyIP 3.0 NETWORK CAMERA

DS-2CD2085FWD-I
8MP EXIR Mini Bullet network camera

H.265+



- 4K Ultra-HD
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67;
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2055FWD-I
5MP EXIR Mini Bullet network camera

H.265+



- 5MP high resolution;
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2035FWD-I
3MP EXIR Mini Bullet network camera

H.265+



- 3MP high resolution;
- H.265+/H.265/H.264+/H.264
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2025FWD-I
2MP EXIR Mini Bullet network camera

H.265+



- 2MP high resolution;
- H.265+/H.265/H.264+/H.264
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2185FWD-I(S)
8MP EXIR Dome network camera

H.265+



- 4K Ultra-HD
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67; IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2155FWD-I(S)
5MP EXIR Dome network camera

H.265+



- 5MP high resolution;
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67; IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2135FWD-I(S)
3MP EXIR Dome network camera

H.265+



- 3MP high resolution;
- H.265+/H.265/H.264+/H.264
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67; IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2125FWD-I(S)
2MP EXIR Dome network camera

H.265+



- 2MP high resolution;
- H.265+/H.265/H.264+/H.264
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67; IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2385FWD-I
8MP EXIR Turret network camera

H.265+



- 4K Ultra-HD
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67;
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2355FWD-I
5MP EXIR Turret network camera

H.265+



- 5MP high resolution;
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2335FWD-I
3MP EXIR Turret network camera

H.265+



- 3MP high resolution;
- H.265+/H.265/H.264+/H.264
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2325FWD-I
2MP EXIR Turret network camera

H.265+



- 2MP high resolution;
- H.265+/H.265/H.264+/H.264
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2T85FWD-I(5/8)
8MP EXIR Bullet network camera

H.265+



- 4K Ultra-HD
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67;
- 3 streams;
- I5: up to 50 m; I8: up to 80 m
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2T55FWD-I(5/8)
5MP EXIR Bullet network camera

H.265+



- 5MP high resolution;
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- I5: up to 50 m; I8: up to 80 m
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2T35FWD-I(5/8)
3MP EXIR Bullet network camera

H.265+



- 3MP high resolution;
- H.265+/H.265/H.264+/H.264
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- I5: up to 50 m; I8: up to 80 m
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2T25FWD-I(5/8)
2MP EXIR Bullet network camera

H.265+



- 2MP high resolution;
- H.265+/H.265/H.264+/H.264
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- I5: up to 50 m; I8: up to 80 m
- Hik-Connect Service
- Up to 128GB on-board storage

NETWORK CAMERA

DS-2CD2685FWD-IZ(S)

8MP Vari-focal EXIR Bullet network camera

H.265+



- 4K HD;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67, IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2655FWD-IZ(S)

5MP Vari-focal EXIR Bullet network camera

H.265+



- 5MP high resolution;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67, IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2635FWD-IZ(S)

3MP Vari-focal EXIR Bullet network camera

H.265+



- 3MP high resolution; H.265+/H.265/H.264+/H.2643 streams;
- 2.8-12mm motorized VF lens
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67, IK10
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2625FWD-IZ(S)

2MP Vari-focal EXIR Bullet network camera

H.265+



- 2MP high resolution;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67, IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2785FWD-IZ(S)

8MP Vari-focal EXIR Dome network camera

H.265+



- 4K HD;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67, IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2755FWD-IZ(S)

5MP Vari-focal EXIR Dome network camera

H.265+



- 5MP high resolution;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67, IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2735FWD-IZ(S)

3MP Vari-focal EXIR Dome network camera

H.265+



- 3MP high resolution; H.265+/H.265/H.264+/H.2643 streams;
- 2.8-12mm motorized VF lens
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67, IK10
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2725FWD-IZ(S)

2MP Vari-focal EXIR Dome network camera

H.265+



- 2MP high resolution;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67, IK10
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2H85FWD-IZ(S)

8MP Vari-focal EXIR Turret network camera

H.265+



- 4K HD;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2H55FWD-IZ(S)

5MP Vari-focal EXIR Turret network camera

H.265+



- 5MP high resolution;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2H35FWD-IZ(S)

3MP Vari-focal EXIR Turret network camera

H.265+



- 3MP high resolution; H.265+/H.265/H.264+/H.2643 streams;
- 2.8-12mm motorized VF lens
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2H25FWD-IZ(S)

2MP Vari-focal EXIR Turret network camera

H.265+



- 2MP high resolution;
- H.265+/H.265/H.264+/H.264
- 2.8-12mm motorized VF lens
- DarkFighter ultra-low light technology
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 120dB WDR
- IP67
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2955FWD-IZ(S)

5MP EXIR Fisheye network camera

H.265+



- 5MP high resolution;
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 1.05 mm @ F2.2, horizontal field of view: 180°, vertical field of view: 180°
- 120dB WDR
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

DS-2CD2935FWD-IZ(S)

3MP EXIR Fisheye network camera

H.265+



- 3MP high resolution;
- H.265+/H.265/H.264+/H.264
- Intrusion & line crossing & object removal & unattended baggage & face detection
- 1.16 mm @ F2.2, horizontal field of view: 180°, vertical field of view: 180°
- 120dB WDR
- 3 streams;
- Hik-Connect Service
- Up to 128GB on-board storage

NETWORK CAMERA

EasyIP 2.0 NETWORK CAMERA

DS-2CD2022/42WD-I(W)(S)

2MP/4MP WDR IR Mini Bullet Network Camera



- 2MP/4MP real-time resolution
- Intrusion & line crossing detection
- 120dB WDR
- On-board storage(optional)
- Up to 30m IR range
- DC12V & PoE
- Metallic housing, IP67
- Hik-connect cloud mobile surveillance

DS-2CD2122/42WD-I(W)(S)

2MP/4MP WDR IR Fixed Dome Network Camera



- 2MP/4MP real-time resolution
- 120dB WDR
- 3-axis adjustment
- On-board storage(optional)
- Up to 30m IR range
- DC12V & PoE
- Vandal-proof metallic housing, IP67
- Cloud P2P mobile surveillance

DS-2CD2T22/42WD-I5(I8)

2MP/4MP WDR EXIR Bullet Network Camera



- 2MP/4MP real-time resolution
- 120dB WDR
- Up to 50m/80m IR range
- DC12V & PoE
- IP67
- Hik-connect cloud mobile surveillance

DS-2CD2322/42WD-I

2MP/4MP WDR EXIR Turret Network Camera



- 2MP/4MP real-time resolution
- 120dB WDR
- Up to 30m IR range
- DC12V & PoE
- Plastic housing, Vandal-proof, IP67
- Hik-connect cloud mobile surveillance

DS-2CD2422/42FWD-IW

2MP/4MP WDR IR Cube Network Camera



- 2MP/4MP real-time resolution
- On-board storage(optional)
- PIR detection
- Up to 10m IR range
- 120dB WDR
- DC12V & PoE
- Built-in Speaker, Mic, WIFI
- Hik-connect cloud mobile surveillance

DS-2CD2522/42FWD-I(W)(S)

2MP/4MP WDR Mini Dome Network Camera



- 2MP/4MP real-time resolution
- 120dB WDR
- 3-axis adjustment
- On-board storage
- Up to 10m IR range
- DC12V & PoE
- IK8 protection, IP67
- Hik-connect cloud mobile surveillance

DS-2CD2F22/42FWD-I(W)(S)

4MP WDR IR Mini PT Network Camera



- 2MP/4MP real-time resolution
- Intrusion & line crossing detection
- 120dB WDR
- Pan & tilt rotation, easy-to-adjust
- On-board storage
- Up to 10m IR range
- Built-in Wi-Fi (optional)
- Hik-connect cloud mobile surveillance

DS-2CD2942F-I(W)(S)

4MP 180° Panoramic Network Camera



- 4MP high resolution
- 180° horizontal panoramic view
- ePTZ control
- Compact design
- IR, WIFI, Audio & alarm optional

DS-2CD2622/42FWD-I(Z)(S)

2MP/4MP WDR Vari-focal IR Bullet Network Camera



- 2MP/4MP real-time resolution
- 2.8-12mm motorized(-Z) VF lens
- 120dB WDR
- On-board storage
- Up to 30m IR range
- DC12V & PoE
- Metallic housing, IP67
- Hik-connect cloud mobile surveillance

DS-2CD2722/42FWD-I(Z)(S)

2MP/4MP WDR Vari-focal IR Dome Network Camera



- 2MP/4MP real-time resolution
- 2.8-12mm motorized(-Z) VF lens
- 120dB WDR
- On-board storage
- Up to 30m IR range
- Metallic housing, IP67
- Hik-connect cloud mobile surveillance

4-LINE DarkFighter LITE NETWORK CAMERA

DS-2CD4B26FWD-IZ(S)

DarkFighter Lite Series 2MP Bullet Network Camera



- DarkFighter ultra-low light technology
- 1/1.8" progressive scan CMOS sensor
- Color:0.002Lux/F1.2, B/W:0.0002Lux/F1.2
- Full HD1080P
- 120dB WDR
- Up to 128GB on-board storage
- Up to 120m IR range
- IP67

DS-2CD4B16FWD-IZ(S)

DarkFighter Lite Series 1.3MP Bullet Network Camera



- DarkFighter ultra-low light technology
- 1/3" progressive scan CMOS sensor
- Color:0.005Lux/F1.2, B/W:0.0005Lux/F1.2
- Full HD1080P
- 120dB WDR
- Up to 128GB on-board storage
- Up to 120m IR range
- IP67

DS-2CD4C36FWD-(AP)

DarkFighter series 3MP Box network camera



- H.265+/H.264+/H.265/H.264
- DarkFighter ultra-low light technology
- 1/2.8" progressive scan CMOS sensor
- 3MP high resolution
- 120dB WDR
- Intrusion & line crossing & object removal & unattended baggage & face detection&Region Entrance/Left&Scene Change
- Up to 128GB on-board storage

DS-2CD4C26FWD-(AP)

DarkFighter series 2MP Box network camera



- H.265+/H.264+/H.265/H.264
- DarkFighter ultra-low light technology
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p
- 120dB WDR
- Intrusion & line crossing & object removal & unattended baggage & face detection&Region Entrance/Left&Scene Change
- Up to 128GB on-board storage

NETWORK CAMERA

4-LINE SMART NETWORK CAMERA

DS-2CD4D26FWD-IZ(S)
DarkFighter Lite Series 2MP Dome Network Camera



- DarkFighter ultra-low light technology
- 1/1.8" progressive scan CMOS sensor
- Color:0.002Lux/F1.2, B/W:0.0002Lux/F1.2
- Full HD1080P
- 120dB WDR
- Up to 128GB on-board storage
- EXIR, prevent IR reflection
- IP66

DS-2CD4D16FWD-IZ(S)
DarkFighter Lite Series 1.3MP Dome Network Camera



- DarkFighter ultra-low light technology
- 1/3" progressive scan CMOS sensor
- Color:0.005Lux/F1.2, B/W:0.0005Lux/F1.2
- Full HD1080P
- 120dB WDR
- Up to 128GB on-board storage
- EXIR, prevent IR reflection
- IP66

DS-2CD4A24FWD-IZ(H)(S)
2MP 20X Zoom Bullet Network Camera



- 1/2.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 4.7-94mm 20X optical zoom Smart Focus
- 120dB WDR
- Full smart feature-set
- Up to 128GB on-board storage
- Up to 120m IR range
- IP67

DS-2CD4026FWD(-AP)
DarkFighter Series 2MP Box Network Camera



- DarkFighter ultra-low light technology
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Auto back focus
- P-Iris optional

DS-2CD4126FWD-IZ
DarkFighter Series 2MP Indoor Dome Network Camera



- DarkFighter ultra-low light technology
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 30m IR range

DS-2CD4A26FWD-IZ(H)(S)
DarkFighter Series 2MP Bullet Network Camera



- DarkFighter ultra-low light technology
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 50m IR range
- IP67

DS-2CD4526FWD-IZ(H)(M)
DarkFighter Series 2MP Dome Network Camera



- DarkFighter ultra-low light technology
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 40m IR
- IP66
- HDMI interface optional

DS-2CD4626FWD-IZ(H)(S)
DarkFighter Series 2MP Bullet Network Camera



- DarkFighter ultra-low light technology
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 70m IR range
- IP66, IK10

DS-2CD4025FWD(-AP)
LightFighter Series 2MP Indoor Box Network Camera



- LightFighter 140dB triple exposure WDR
- 1/2.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- Full smart feature-set
- Auto back focus
- P-Iris optional

DS-2CD4125FWD-IZ
LightFighter Series 2MP Indoor Dome Network Camera



- LightFighter 140dB triple exposure WDR
- 1/2.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 30m IR range

DS-2CD4A25FWD-IZ(H)(S)
LightFighter Series 2MP Bullet Network Camera



- LightFighter 140dB triple exposure WDR
- 1/2.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 50m IR range
- IP67

DS-2CD4526FWD-IZ(H)(M)
LightFighter Series 2MP Dome Network Camera



- LightFighter 140dB triple exposure WDR
- 1/2.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 40m IR
- IP66

DS-2CD4626FWD-IZ(H)(S)
Lightfighter Series 2MP Bullet Network Camera



- Lightfighter 140dB triple exposure WDR
- 1/2.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 70m IR range
- IP66, IK10

DS-2CD4035FWD(-AP)
3MP Indoor Box Network Camera



- 1/2.8" progressive scan CMOS sensor
- 3MP@45fps resolution
- 120dB WDR
- Full smart feature-set
- Auto back focus
- P-Iris optional
- Up to 128GB on-board storage

DS-2CD4135FWD-IZ
3MP Indoor IR Dome Network Camera



- 1/2.8" progressive scan CMOS sensor
- 3MP@45fps resolution
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 30m IR range

DS-2CD4A35FWD-IZ(H)(S)
3MP IR Bullet Network Camera



- 1/2.8" progressive scan CMOS sensor
- 3MP@45fps resolution
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 50m IR range
- IP67

NETWORK CAMERA

DS-2CD4565F-IZ(H)
6MP IR Dome Network Camera



- 1/1.8" progressive scan CMOS sensor
- 6MP high resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 40m IR
- IP66

DS-2CD4665F-IZ(H)(S)
6MP IR Bullet Network Camera



- 1/1.8" progressive scan CMOS sensor
- 6MP high resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 70m IR range
- IP66, IK10

DS-2CD4065F(-AP)
6MP Indoor Box Network Camera



- 1/1.8" progressive scan CMOS sensor
- 6MP high resolution
- Full smart feature-set
- Auto back focus
- P-Iris optional
- Up to 128GB on-board storage

DS-2CD4165FWD-IZ
6MP Indoor IR Dome Network Camera



- 1/1.8" progressive scan CMOS sensor
- 6MP high resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 30m IR range

DS-2CD4A65F-IZ(H)(S)
6MP IR Bullet Network Camera



- 1/1.8" progressive scan CMOS sensor
- 6MP high resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 50m IR range
- IP67

DS-2CD4085F(-AP)
8MP Indoor Box Network Camera



- 1/1.7" progressive scan CMOS sensor
- 4K(4096 × 2160) ultra-HD resolution
- Full smart feature-set
- Auto back focus
- P-Iris optional
- Up to 128GB on-board storage

DS-2CD4185FWD-IZ
6MP Indoor IR Dome Network Camera



- 1/1.7" progressive scan CMOS sensor
- 4K(4096 × 2160) ultra-HD resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 30m IR range

DS-2CD4A85F-IZ(H)(S)
8MP IR Bullet Network Camera



- 1/1.7" progressive scan CMOS sensor
- 4K(4096 × 2160) ultra-HD resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 50m IR range
- IP67

DS-2CD4585F-IZ(H)
8MP IR Dome Network Camera



- 1/1.7" progressive scan CMOS sensor
- 4K(4096 × 2160) ultra-HD resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 40m IR
- IP66

DS-2CD4685F-IZ(H)(S)
8MP IR Bullet Network Camera



- 1/1.7" progressive scan CMOS sensor
- 4K(4096 × 2160) ultra-HD resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 70m IR range
- IP66, IK10

DS-2CD40C5F(-AP)
12MP Indoor Box Network Camera



- 1/1.7" progressive scan CMOS sensor
- Up to 12MP ultra-HD resolution
- Full smart feature-set
- Auto back focus
- P-Iris optional
- Up to 128GB on-board storage

DS-2CD41C5F-IZ
12MP Indoor IR Dome Network Camera



- 1/1.7" progressive scan CMOS sensor
- Up to 12MP ultra-HD resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 30m IR range

6-LINE NETWORK CAMERA

DS-2CD4AC5F-IZ(H)(S)
12MP IR Bullet Network Camera



- 1/1.7" progressive scan CMOS sensor
- Up to 12MP ultra-HD resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 50m IR range
- IP67

DS-2CD45C5F-IZ(H)
12MP IR Dome Network Camera



- 1/1.7" progressive scan CMOS sensor
- Up to 12MP ultra-HD resolution
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 40m IR
- IP66

DS-2CD63C2F-I(V)(S)
12MP Panoramic IR Network Camera



- 360° panoramic view
- Up to 4000x3072@20fps resolution
- Up to 1600x1200 ePTZ control
- Heat mapping analytic
- Support on-board hardware de-warping
- Support software de-warping
- IP66 & Vandal-proof (-V)
- Up to 15m IR

DS-2CD6362F-I(V)(S)
6MP Panoramic IR Network Camera



- 360° panoramic view
- Up to 3072x2048 resolution
- ePTZ control
- 120dB WDR
- Support on-board hardware de-warping
- Support software de-warping
- IP66 & Vandal-proof (-V)
- Up to 15m IR

NETWORK CAMERA

DS-2CD6332F-I(V)(S)

3MP Panoramic IR Network Camera



- 360° panoramic view
- Up to 2048x1536 resolution
- ePTZ control
- 120dB WDR
- Support on-board hardware de-warping
- Support software de-warping
- IP66 & Vandal-proof (-V)
- Up to 15m IR

DS-2CD6426FWD-50

DarkFighter Series 2MP Mini Bullet Cover Network Camera



- Ultra-low illumination technology
- 1/1.8" progressive CMOS sensor
- 2MP real-time resolution
- 120dB WDR
- Full Smart Feature-set
- Up to 128GB on-board storage
- Mini bullet part support IP66

DS-2CD6424FWD-10/20/30

2MP Cover Network Camera



- 2MP real-time resolution
- 120dB WDR
- Up to 128GB on-board storage
- Pinhole lens (-10/20)
- Fixed tube lens (-30)

DS-2CD6424FWD-40/E1(E2)

2MP Cover Network Camera



- 2MP real-time resolution
- 120dB WDR
- Up to 128GB on-board storage
- Mini ball lens (-40/E1)
- Embedded lens (-40/E2)

MOBILE NETWORK CAMERA

DS-2XM6122FWD-I(M)

2MP Vehicle Mini Dome network camera



- Special design for vehicle-mounted
- 2MP realtime resolution
- 3-axis adjustment
- M12 ethernet interface(optional)
- 120dB WDR
- IP66, IK8
- EN50155, EN50121 certification
- Build-in microphone
- Multiple smart events supported

DS-2CD6520ET-I(O)

2MP Outer-vehicle Mini Dome Network Camera



- Special design for vehicle-mounted
- 2MP real time resolution
- 3-axis adjustment
- M12 ethernet interface(optional)
- Up to 30m IR range
- IP68, IK10
- EN50155, EN50121 certification

DS-2CD6510-I(O)

1.3MP Outer-vehicle Mini Dome Network Camera



- Special design for vehicle-mounted
- 1.3MP real time resolution
- 3-axis adjustment
- M12 ethernet interface(optional)
- Up to 30m IR range
- IP68, IK10
- EN50155, EN50121 certification

DS-2CD6520DT-I(O)

2MP Inner-vehicle Mini Dome Network Camera



- Special design for vehicle-mounted
- 2MP realtime resolution
- 3-axis adjustment
- M12 ethernet interface(optional)
- IP54, IK8
- EN50155, EN50121 certification

DS-2CD6510DT-I(O)

1.3MP Inner-vehicle Mini Dome Network Camera



- Special design for vehicle-mounted
- 1.3MP real time resolution
- 3-axis adjustment
- M12 ethernet interface(optional)
- IP54, IK8
- EN50155, EN50121 certification

DS-2XM6612FWD-I (1.3MP)

DS-2XM6622FWD-I (2.0MP)
Mobile Network Camera



- HD720p or Full HD1080p video
- 120dB WDR
- Smart IR, up to 3m IR range
- Up to 128GB on-board storage
- Built-in Microphone

Explosion-Proof & Anti-Corrision NETWORK CAMERA

DS-2XE6222F-IS

2MP Explosion-Proof Dome network camera



- H.265+/H.264+/H.265/H.264
- 2MP realtime resolution
- 120dB WDR
- ATEX, IECEx, IP68
- 316L Anti-Corrosion Standard: WF-2, NEMA 4X, C5-M
- Support on-board storage, up to 128GB
- AC 100V to 240V/PoE

DS-2XE6242F-IS

4MP Explosion-Proof Bullet network camera



- H.265+/H.264+/H.265/H.264
- 4MP high resolution
- 120dB WDR
- 316L Anti-Corrosion Standard: WF-2, NEMA 4X, C5-M
- Support on-board storage, up to 128GB
- AC 100V to 240V/PoE

DS-2DF6223-CX(W)

DarkFighter series 2MP Anti-corrision PTZ network camera



- 2MP 1/1.8" progressive scan CMOS
- 23x optical zoom
- 120dB WDR
- Explosion-Proof: II 2 G Ex d IIC T6 Gb, Ta -40°
- C to +60°C; II 2 D Ex tb IIIC T80° C Db
- IP68 standard

DS-2CD6626DS-IZ(H)S


DarkFighter Series 2MP Anti-corrision Dome Network Camera



- Ultra-low illumination technology
- 316L stainless steel housing
- 1/1.8" progressive scan CMOS sensor
- 2.8-12mm motorized VF lens
- 120dB WDR
- Full Smart Feature-set
- ISO C5-M, NEMA 4X certification

DS-2CD6626BS-R

DarkFighter Series 2MP Anti-corrision Bullet Network Camera



- Ultra-low illumination technology
- 316L stainless steel housing
- 1/1.8" progressive scan CMOS sensor
- 120dB WDR
- Full Smart Feature-set
- ISO C5-M, NEMA 4X certification

DS-2CD6626B/E-HIR5/IRA

DarkFighter Series 2MP Anti-corrision IR Bullet Network Camera



- Ultra-low illumination technology
- 316L stainless steel housing
- 1/1.8" progressive scan CMOS sensor
- 120dB WDR
- Full Smart Feature-set
- ISO C5-M, NEMA 4X certification
- IR5: 3.8-16mm VF lens, up to 50m IR range
- IRA: 11-40mm VF lens, up to 100 IR range

NETWORK CAMERA

DS-2CD6626B-IZHS
DarkFighter series 2MP Anti-corrision IR Bullet network camera **DARKFIGHTER**



- DarkFighter ultra-low light technology
- 316L stainless steel housing
- 1/1.8" progressive scan CMOS sensor
- 120dB WDR
- Motorized lens with Smart Focus
- Full Smart Feature-set
- ISO C5-M, NEMA 4X certification

DS-2CD6652B-IZHS
DarkFighter series 2MP Anti-corrision IR Bullet network camera **DARKFIGHTER**



- 5MP 2592 × 1944@60 fps
- 316L stainless steel housing
- 120dB WDR
- Motorized lens with Smart Focus
- Full Smart Feature-set
- ISO C5-M, NEMA 4X certification

DS-2XC6122FWD-IS
DarkFighter series 2MP Anti-corrision Dome network camera **DARKFIGHTER**



- H.265+/H.264+/H.265/H.264
- 2MP realtime resolution
- 120dB WDR
- Anti-Corrosion Standard: WF-2, NEMA 4X, C5-M
- IP67
- Support on-board storage, up to 128GB

DS-2XC6142FWD-IS
DarkFighter series 2MP Anti-corrision Dome network camera **DARKFIGHTER**



- H.265+/H.264+/H.265/H.264
- 4MP realtime resolution
- 120dB WDR
- Anti-Corrosion Standard: WF-2, NEMA 4X, C5-M
- IP67
- Support on-board storage, up to 128GB

ANPR NETWORK CAMERA

DS-2CD4026FWD/P-IR5 (3.8-16mm) /IRA(11-40mm)
2MP Low Light Smart Box LPR Camera with housing



- DarkFighter ultra-low light technology
- License Plate Recognition
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Up to 128GB on-board storage
- Up to 50m/100m IR range

DS-2CD4026FWD/P-(H)(N)IRA (11-40mm)
2MP Low Light Smart Box LPR Camera with housing



- DarkFighter ultra-low light technology
- License Plate Recognition
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Up to 128GB on-board storage
- Up to 30m light range

DS-2CD4026FWD/P-L (3.8-16mm)(11-40mm)(7-33mm)
2MP Low Light Smart Box LPR Camera with housing



- DarkFighter ultra-low light technology
- License Plate Recognition
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Up to 128GB on-board storage
- Up to 30m light range

DS-2CD4A26FWD-IZ(S)(H)/P (2.8-12mm)/(8-32mm)(-WG)
2MP Low Light Smart Bullet LPR Camera



- DarkFighter ultra-low light technology
- License Plate Recognition
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 50m IR range
- IP67

DS-2CD4A26FWD-LZS/P (2.8-12mm)
2MP Low Light Smart Bullet LPR Camera



- DarkFighter ultra-low light technology
- License Plate Recognition
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- Up to 50m IR range

DS-2CD4626FWD-IZ(HS)/P (2.8-12mm)
2MP Low Light Smart Bullet LPR Camera



- DarkFighter ultra-low light technology
- License Plate Recognition
- 1/1.8" progressive scan CMOS sensor
- Full HD1080p, up to 60fps
- 120dB WDR
- Full smart feature-set
- Motorized lens with Smart Focus
- Up to 128GB on-board storage
- IP67, IK10